## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	may 05 1992	
Returned to applicant for correction	JUN 19 1992	
Corrected application filed	<u>Aug 1 8 1992</u>	
Map filed		
The emplicant Robert   h	Weise	
••		
	no. Carson City City or Town	
	hereby make. S. application for permission to appropriate the public	
	nafter stated. (If applicant is a corporation, give date and place of incorporation; if a	
copartnership or association, give nan	nes of members.)	
1. The source of the proposed appro	opriation is	
2. The amount of water applied for i	is. 0.5 C.f.S. second-feet One second-foot equals 448.83 gals. per min.	
(a) If stored in reservoir give num	nber of acre-feet	
3. The water to be used for	Municipal Water System  Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.	
4. If use is for:		
(a) Irrigation, state number of acr	res to be irrigated	
(b) Stockwater, state number and	kinds of animals to be watered	
(c) Other use (describe fully unde	er No. 12. "Remarks"	
(d) Power:		
(1) Horsepower developed		
(2) Point of return of water to	o stream	
5. The water is to be diverted from i	its source at the following point NW\ SE\ Section 22, T.16N., R.19E.  Describe as being within a 40-acre subdivision of public	
	nt from which the south quarter corner of said Section 22 corner if on unsurveyed land, it should be so stated.	
	a_distance_of_1,750_feet	
6. Place of use Section 22; V	W½ Section 23, NW¼ Section 26 and N½ Section 27, T.16N.,  Describe by legal subdivision. If on unsurveyed land, it should be so stated.	
D 10C M D D 0M	Describe by legal subdivision. If on unsurveyed land, it should be so stated.	
	uary 1 December 31 of each year.  Month and Day Month and Day	
	Under the provisions of NRS 535.010 you may be required to submit plans and	
·	r storage works.). Construct a standy-by well with 8" or 10"  State manner in which water is to be diverted, i.e. diversion structure, ditches and	
casing to Washoe County	State manner in which water is to be diverted, i.e. diversion structure, ditches and y specifications	
flumes deilled well with nump and motor ata		

9.	Estimated cost of works \$50,000.00
10.	Estimated time required to construct works. Five (5) years per NRS 533.380  If well completed, describe works.
	Estimated time required to complete the application of water to beneficial use. Ten (10) years per NRS 533.38  Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual
	consumptive use: See Exhibit #1 submitted with original application.
	Bys/James P. Haddan  JAMES P. HADDAN, Agent  apared bc/bc ab/se 300 Hot Springs Road, #11  Carson City, Nevada 89706
	ro. upheld; see permit terms
-	APPROVAL OF STATE ENGINEER
follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the wing limitations and conditions:  This permit is issued subject to existing rights. It is understood that the tof water herein granted is only a temporary allowance and that the final water obtained under this permit will be dependent upon the amount of water actually
lace easo wo ust nsta ccur eter ompl tate se o	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)
laceeascowo ust nsta ccur eeter tatee con the	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
laceeasco	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be lied and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
lace ease vo ust ester eter ter tompl cate see c The exce	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5 cubic feet per second , but not to exceed 131.80  cre-feet annually.
ace asc ost stacur ter mpl ate e c bli ONT	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  O.5
ace asc ost stacur ter mpl ate e c bli ONT	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5
ace ascoro asta ecurio exceptione constante co	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  O.5
acee ascoro ast astaceur eterromp1 catee cont The exce Wor Proc	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5 cubic feet per second , but not to exceed 131.80  cre-feet annually.  k must be prosecuted with reasonable diligence and be completed on or before.  January 25, 1996  f of completion of work shall be filed before.  February 25, 1996
accepasor of the state of the s	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be lled and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5
acceptance and acceptance accepta	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5
Laceeeaso Woo ist instance terminal instance complicate see to the control of the	d to beneficial use. It is also understood that this right must allow for a nable lowering of the static water level. This well shall be equipped with a (2) inch opening for measuring depth to water. If the well is flowing, a valve be installed and maintained to prevent waste. A totalizing meter must be led and maintained in the discharge pipeline near the point of diversion and ate measurements must be kept of water placed to beneficial use. The totalizing must be installed before any use of water begins, or before the Proof of etion of Work is filed. This source is located within an area designated by the Engineer, pursuant to NRS 534.030. The State retains the right to regulate the f the water herein granted at any and all times.  This permit does not extend the permittee the right of ingress and egress on c, private or corporate lands.  INUED ON PAGE 2)  amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed.  0.5

(O)-2145 (Rev. 9-89)

Page 2 57599

(PERMIT TERMS CONTINUED)

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

The total combined duty of water under Permits 57599, 57600 and 58182 shall not exceed 131.80 acre-feet annually.

This permit is issued with the understanding that it is for a backup well only and not a new appropriation.

## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATER OF THE STATE OF NEVADA

## EXHIBIT 1

alvo: her man

This permit is to construct an emergency stand-by well which would provide back up water supply in the event of the failure of the well under Permit #21413, Certificate #6087. This request is not for additional water rights or duty, but only to provide an alternate point of diversion. Any water diversion from this permit would not exceed the conditions of approval contained in Permit #21413. #21413, either individually or in combination with Permit #21413.

The intent of the application is to provide municipal water to both proposed developments and to provide Washoe County with water to provide service to the surrounding community.

The water under the proposed change application is non-supplemental and is not intended to become supplemental to any existing rights within the proposed place of use.

Robert L. Weise

7300 Franktown Road

Carson City, Nevada

702-882-2041

~~~~5,199Z